

GenCore version 5.1.3
Copyright (c) 1993 - 2003 Compugen Ltd

OM protein - protein search, using sw model

Run on: January 16, 2003, 16:39:12 : Search time 16.0966 seconds
(without alignments)
28 464 Million cell updates/sec

Title: US-09-856-070-23
Perfect score: 55
Sequence: 1 ELMRIQDYHE 11

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 112892 seqs, 41476328 residues

Total number of hits satisfying chosen parameters: 112892

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Swissprot_40.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB ID	Description
1	55	100.0	540	1 E2RI_HOVIN	P31975 bos taurus
2	55	100.0	585	1 E2RI_HUMAN	P15311 homo sapien
3	52	94.5	595	1 E2RI_MOUSE	P26040 mus musculus
4	39	70.9	886	1 HA50_SULAC	O33600 sulfolobus
5	36	65.5	715	1 BBS2_HUMAN	Q848P7 brachydanio
6	36	65.5	2472	1 SPON_RAT	Q14813 homo sapien
7	36	65.5	2472	1 SPON_CHICK	P16086 rattus norv
8	36	65.5	2477	1 SPON_CHICK	P07751 gallus gall
9	35	63.6	892	1 AAC1_HUMAN	P12814 homo sapien
10	35	63.6	892	1 AAC1_RAT	Q921P2 rattus norv
11	35	63.6	964	1 PLE1_MOUSE	Q94X81 mus musculus
12	35	63.6	4473	1 PLE1_CRIGR	Q91555 cricetus
13	35	63.6	4684	1 PLE1_HUMAN	Q15149 homo sapien
14	35	63.6	4687	1 PLE1_PAT	P30427 rattus norv
15	34	61.8	332	1 KC2A_MAZE	P28523 zea mays (m
16	34	61.8	333	1 KC21_ARATH	Q08467 arabidopsis
17	34	61.8	343	1 KC22_ARATH	Q08466 arabidopsis
18	34	61.8	333	1 KC23_ARATH	Q08467 arabidopsis
19	34	61.8	365	1 ECT1_SCHPO	Q94116 schizosacch
20	34	61.8	367	1 YGR5_YEAST	P53159 saccharomy
21	34	61.8	485	1 FUT4_HUMAN	P22083 homo sapien
22	34	61.8	467	1 INVO_MOUSE	P48997 mus musculu
23	34	61.8	544	1 BUS_METTL	P31624 methanococ
24	34	61.8	741	1 TSG2_DROME	Q19229 drosophila
25	34	61.8	860	1 HA50_PYPAB	Q94268 pyrococcus
26	34	61.8	978	1 HA50_AQUAE	Q67124 aquifex aco
27	33	60.0	177	1 PURE_CGRAM	Q44676 corynebact
28	33	60.0	196	1 V11A_BPT7	P04746 bacterioph
29	33	60.0	225	1 YM74_YEAST	Q05024 saccharomy
30	33	60.0	258	1 Y198_MYCTU	Q10859 mycobacteri
31	33	60.0	270	1 CWFG_SCHPO	Q94765 schizosacch
32	33	60.0	720	1 HUP1_HUMAN	P54257 homo sapien
33	33	60.0	522	1 CPV1_ORENI	P70091 orochromis

34	33	60.0	548	1 KUCR_MOUSE	P70194 mus musculu
35	33	60.0	622	1 AMB3_CAPP1	G21565 caenorhabdi
36	33	60.0	721	1 BBS2_HUMAN	G96AC9 homo sapien
37	33	60.0	721	1 BBS2_MOUSE	Q96W16 mus musculu
38	33	60.0	721	1 BBS2_PAT	Q96W16 rattus norv
39	33	60.0	822	1 FER_HUMAN	P16591 homo sapien
40	33	60.0	1521	1 FMBS_CAEEL	P34703 caenorhabdi
41	32.5	59.1	554	1 CEF1_HUMAN	P09603 homo sapien
42	32	58.2	289	1 SQV3_CAEEL	P34548 caenorhabdi
43	32	58.2	303	1 CHEV_BACSU	P37599 bacillus su
44	32	58.2	385	1 SYW_PYPAB	Q94Y11 pyrococcus
45	32	58.2	404	1 EX71_FUSNN	Q8REN3 fusobacteri

ALIGNMENTS

RESULT 1					
E2RI_HOVIN					
ID	E2RI_HOVIN	STANDARD:	PRT:	580 AA.	
AC	P31976;				
DI	01-JUL-1993 (Rel. 26, Created)				
DI	01-JUL-1993 (Rel. 26, Last sequence update)				
DI	16-OCT-2001 (Rel. 40, Last annotation update)				
DE	E2rin (p81) (Cytoovillin) (Villin 2).				
GN	Vill2.				
OS	Bos taurus (Bovine).				
OC	Eukaryota; Metazoa; Chordata; Cnidaria; Vertebrata; Euteleostomi;				
OC	Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;				
OC	Bovidae; Bovinae; Bos.				
OX	NCBI_TaxID=9913;				
RN	[1]				
FP	SEQUENCE FROM N.A.				
RC	TISSUE=Brain;				
PA	Bergson C M., Zhao H., Saijoh K., Duman P S., Nestler E.J.;				
RT	"E2rin and osteonectin, two proteins associated with cell shape and				
RT	growth, are enriched in the locus coeruleus.";				
RL	Mol. Cell. Neurosci. 4:64-73(1993).				
RN	[2]				
FP	SEQUENCE OF 1-15 AND 126-140.				
RC	TISSUE=Kidney;				
KX	MedLine=96235137; PubMed=8660651;				
KA	Gallat A., Gerbuel M., Bouet F., Riviere S.;				
RT	"Proteins and their amino acid compositions: uniqueness, variability,				
RT	and applications.";				
RL	Arch. Biochem. Biophys. 330:229-237(1996).				
CC	FUNCTION: PROBABLY INVOLVED IN CONNECTIONS OF MAP-2 CYTOSKELETAL				
CC	STRUCTURES TO THE PLASMA MEMBRANE.				
CC	CELLULAR LOCATION: MICROVILLIAR PERIPHEAL MEMBRANE PROTEIN				
CC	(CYTOPLASMIC SIDE).				
CC	PTM: PHOSPHORYLATED BY PROTEIN-TYROSINE KINASES.				
CC	SIMILARITY: CONTAINS 1 BAND 4.1-LIKE DOMAIN.				
CC					
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration				
CC	between the Swiss Institute of Bioinformatics and the EMBL Outstation -				
CC	the European Bioinformatics Institute. There are no restrictions on its				
CC	use by non-profit institutions as long as its content is in no way				
CC	modified and this statement is not removed. Usage by and for commercial				
CC	entities requires a license agreement (see http://www.isb-sib.ch/announce/				
CC	or send an email to license@isb-sib.ch).				
CC					
DR	EMBL; M98498; AAA30510.1;				
DR	InterPro: IPR00299; Band 4.1.				
DR	InterPro: IPR00299; I2/rad/mesin.				
DR	PIR; P00373; Band 41;				
DR	PIR; P00769; ERM; 1.				
DR	SMART; SM00295; H41; 1.				
DR	PROSITE; PS00660; BAND_41_1; 1.				
DR	PROSITE; PS00661; BAND_41_2; 1.				
DR	PROSITE; PS00557; BAND_41_3; 1.				
DR	Staccata: protein, cytoskeleton, phosphorylation.				
DR	INIT_MET 0				
FT					

```

FT DOMAIN 57 224 BAND 4.1-LIKE.
FT MOD_RES 145 145 PHOSPHORYLATION (BY PDGFR)
FI PHOSPHORYLATION (BY SIMILARITY).
FI MOD_RES 353 353 PHOSPHORYLATION (BY PDGFR)
FI PHOSPHORYLATION (BY SIMILARITY).
SQ SEQUENCE 580 AA: 68629 MW: 62663.55200FAA3 CRC64:
Query Match 100.0%; Score 55; DB 1; Length 580;
Best Local Similarity 100.0%; Pred. No. 0.0051;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 ELMRLQDYEE 11
DB 345 ELMRLQDYEE 355
RESULT 2
EZRL_HUMAN STANDARD; PRT; 585 AA
AC P15311; P24714; Q9NSJ4;
DE 01-APR-1990 (Ref. 14, Created)
DE 01-NOV-1991 (Ref. 20, Last sequence update)
DE 15-JUN-2002 (Ref. 41, Last annotation update)
DE Ecrin (p81) (Cyto villin) (Villin 2).
GN VIL2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominoidea; Homo.
CX NCHI_TaxID=9606;
IN 11
RP SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RX MEDLINE-90076135; PubMed-2591371;
RA Gould K.L., Bretscher A., Esch F.S., Hunter T.;
RF "cDNA cloning and sequencing of the protein-tyrosine kinase
substrate, crtin, reveals homology to band 4.1.";
RL EMBO J. 8:4133-4142(1989).
IN 2
RP SEQUENCE FROM N.A.
RC TISSUE=Placenta;
RX MEDLINE-89380299; PubMed-2674140;
RA Turunen O., Winkvist R., Pakkanen R., Grzeschik R.H., Wahlstrom T.,
RF "Cyto villin, a microvillar Mr 75,000 protein, cDNA sequence,
prokaryotic expression, and chromosomal localization.";
RL J. Biol. Chem. 264:16727-16732(1989).
IN 14
RP SEQUENCE FROM N.A.
RA Otenwaelder B., Obermaier B., Mewes H.-W., Weil B., Wiemann S.;
RL Submitted (MAR 2000) to the EMBL/GenBank/DBJ databases.
IN 14
RP SEQUENCE OF 171-179 AND 342-349.
RX MEDLINE-96311348; PubMed-8713105;
RA Barton M., Moritz R.L., Braker H., Kelso A., Simpson R.J.;
RF "Identification of the 70kD heat shock cognate protein (Hsc70) and
alpha-actinin 1 as novel phosphotyrosine-containing proteins in T
lymphocytes.";
RL Biochem. Biophys. Res. Commun. 224:666-674(1996).
IN 15
RP PHOSPHORYLATION BY PDGFR
RX MEDLINE-92406868; PubMed-1382070;
RA Kriegl J., Hunter T.;
RF "Identification of the two major epidermal growth factor-induced
tyrosine phosphorylation sites in the microvillar core protein
crtin.";
RL J. Biol. Chem. 267:19258-19265(1992).
IN 16
RP PHOSPHORYLATION.
RX MEDLINE-92486649; PubMed-1381369;
RA Barton M., Burgess W.H., Chen D., Braker H.J., Bretscher A.,
RA Smolson L.F.;
RF "Identification of crtin as an 81 kDa tyrosine-phosphorylated protein
in T cells.";
RL J. Immunol. 149:1847-1852(1992).
CC -! FUNCTION: PROBABLY INVOLVED IN CONNECTIONS OF MAJOR CYTOSKELETAL
CC STRUCTURES TO THE PLASMA MEMBRANE.
CC -! SUBCELLULAR LOCATION: MICROVILLAR PERIPHERAL MEMBRANE PROTEIN
CC (CYTOPLASMIC SIDE).
CC -! TISSUE SPECIFICITY: COMPONENT OF THE MICROVILLI OF INTESTINAL
CC EPITHELIAL CELLS.
CC -! PTM: PHOSPHORYLATED BY PROTEIN-TYROSINE KINASES.
CC -! SIMILARITY: CONTAINS 1 BAND 4.1-LIKE DOMAIN.
CC
CC this SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL: X51521; CAA35893.1; -
CC EMBL: J05021; AAA61278.1; ALT_INIT.
CC EMBL: AL162086; CAB82418.1; ALT_INIT.
CC PIR: S09263; S09263.
CC PIR: A34400; A34400.
CC SWISS-2DPAGE: P15311; HUMAN.
CC Genew, HRC:12691, VIL2.
CC MIM: 123900; -
CC InterPro: IPR000299; Band_4.1.
CC InterPro: IPR006798; P2/1ad/moesin.
CC Pfam: PF00373; Band_41; 1.
CC Pfam: PF00769; ERM; 1.
CC PRINTS: PR00935; BAND41.
CC SMART: SM00295; B41; 1.
CC PROSITE: PS00660; BAND_41_1; 1.
CC PROSITE: PS00661; BAND_41_2; 1.
CC PROSITE: PS00657; BAND_41_3; 1.
CC KW Structural protein, Cytoskeleton, Phosphorylation.
CC FT INIT-MET 0
CC FT DOMAIN 57 224 BAND 4.1-LIKE.
CC FT MOD_RES 145 145 PHOSPHORYLATION (BY PDGFR).
CC FT MOD_RES 353 353 PHOSPHORYLATION (BY PDGFR).
CC FT CONFLICT 531 531 V -> L (IN REF. 3).
CC SQ SEQUENCE 585 AA: 69267 MW: 24844.0140E3H06CC CRC64:
Query Match 100.0%; Score 55; DB 1; Length 585;
Best Local Similarity 100.0%; Pred. No. 0.0051;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 ELMRLQDYEE 11
DB 345 ELMRLQDYEE 355
RESULT 3
EZRL_MOUSE STANDARD; PRT; 585 AA.
AC P26040;
DE 01-MAY-1992 (Ref. 22, Created)
DE 01-MAY-1992 (Ref. 22, Last sequence update)
DE 16-OCT-2001 (Ref. 40, Last annotation update)
DE Ecrin (p81) (Cyto villin) (Villin 2).
GN VIL2.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
CX NCHI_TaxID=10090;
IN 11
RP SEQUENCE FROM N.A.
RX MEDLINE-92064615; PubMed-1955455;
RA Funayama N., Naqaiuchi A., Sato N., Tsukita S., Tsukita S.;
RF "Radixin is a novel member of the band 4.1 family.";
RL J. Cell Biol. 115:1039-1048(1991).
CC -! FUNCTION: PROBABLY INVOLVED IN CONNECTIONS OF MAJOR CYTOSKELETAL
CC STRUCTURES TO THE PLASMA MEMBRANE.
CC -! SUBCELLULAR LOCATION: Cytoplasmic.

```

CC -I- TISSUE SPECIFICITY: COMPONENT OF THE MICROVILLI OF INTESTINAL
 CC EPITHELIAL CELLS.
 CC -I- PWM: PHOSPHORYLATED BY PROTEIN-TYROSINE KINASES
 CC -I- SIMILARITY: CONTAINS 1 BAND 4.1-LIKE DOMAIN.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC FMBL: X60671; CAA43086.1; -
 CC PIR: B41129; B41129.
 CC MGD: M01:98931; Vili2.
 CC InterPro: IPR000294; Band_4.1.
 CC InterPro: IPR000798; k2/rad/moesin.
 CC Pfam: PF00373; Band_41; 1.
 CC Pfam: PF00769; ERM; 1.
 CC PRINTS: PF00935; BAMP41.
 CC SMART: SM00295; B41; 1.
 CC PROSITE: PS00660; BAND_41_1; 1.
 CC PROSITE: PS00661; BAND_41_2; 1.
 CC PROSITE: PS00662; BAND_41_3; 1.
 CC Structural protein; Cytoskeleton; phosphorylation.
 KW INIT_MET 0 BY SIMILARITY.
 FT DOMAIN 57 224 BAND 4.1-LIKE.
 FT MOD_RES 145 145 PHOSPHORYLATION (BY PDEFR)
 FT MOD_RES 353 353 (BY SIMILARITY).
 FT MOD_RES 353 353 PHOSPHORYLATION (BY PDEFR)
 FT (BY SIMILARITY).
 FT SEQUENCE 585 AA: 69214 MW: 20574222.009502 CRC64;
 Query Match 94.5%, Score 52; DB 1; Length 585;
 Best Local Similarity 90.9%; Pred. No. 0 019;
 Matches 10; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ELMRLQDYEE 11
 DB 345 ELMRLQDYEQ 355
 RESULT 4
 ID PASO_SILA* STANDARD; PRT; 886 AA.
 AC 033600;
 DI 16-OCT-2001 (Rel. 40; Created)
 DI 16-OCT-2001 (Rel. 40; Last sequence update)
 DI 16-OCT-2001 (Rel. 40; Last annotation update)
 DE DNA double-strand break repair rad50 ATPase.
 GN PAP80
 OS Sulfolobus acidocaldarius.
 CC Archaea; Crenarchaeota; Thermoprotei; Sulfolobales; Sulfolobaceae;
 CC Sulfolobus.
 CC NCBI_TaxID=2285;
 CC [1]
 CC SEQUENCE FROM N.A.
 CC STEIN AP: 4553 / N-IP: 1175; GSM 839;
 CC MEDLINE: 97362314; PubMed: 9211741;
 CC Elie C., Haucher M.P., Fondrat C., Forterre P.,
 CC "A protein related to eucaryal and bacterial DNA motor proteins in the
 CC hyperthermophilic archaeal Sulfolobus acidocaldarius".
 CC J. Mol. Evol. 45:107-114(1997).
 CC -I- FUNCTION: Involved in DNA double-strand break repair (DSBR). The
 CC rad50/mre11 complex possesses single strand endonuclease activity
 CC and ATR dependent double strand specific exonuclease activity.
 CC Rad50 provides an ATP-dependent control of mre11 by unwinding
 CC and/or repositioning DNA ends into the mre11 active site (By
 CC similarity).
 CC -I- SUBUNIT: Forms a complex with mre11 (By similarity).
 CC -I- SIMILARITY: BELONGS TO THE SMC FAMILY. RAD50 SUBFAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC FMBL: Y10687; CAA71688.1; -
 CC InterPro: IPR003439; ABC_Transport.
 CC InterPro: IPR003395; SMC_N.
 CC Pfam: PF02463; SMC_N; 1.
 CC Pfam: PD00006; ABC_Transport; 1.
 CC DNA repair; Hydrolyase; ATP-binding; Coiled coil.
 KW NP_BIND 30 37 ATP (BY SIMILARITY).
 FT DOMAIN 174 727 COILED COIL (POTENTIAL).
 FT SEQUENCE 886 AA: 103557 MW: 100046149.14104 CRC64;
 Query Match 70.9%; Score 39; DB 1; Length 886;
 Best Local Similarity 63.6%; Pred. No. 10;
 Matches 7; Conservative 4; Mismatches 1; Indels 0; Gaps 0;
 QY 1 ELMRLQDYEE 11
 DB 259 FTAIRKDPFF 269
 RESULT 5
 ID HBS2_BRARE STANDARD; PRT; 715 AA.
 AC Q98SP7;
 DI 15-JUN-2002 (Rel. 41; Created)
 DI 15-JUN-2002 (Rel. 41; Last sequence update)
 DI 15-JUN-2002 (Rel. 41; Last annotation update)
 DE Bardet-Biedl syndrome 2 protein homolog.
 GN HBS2.
 OS Brachydanio rerio (Zebrafish) (Danio rerio).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
 CC Cyprinidae; Danio.
 CC NCBI_TaxID=7955;
 CC [1]
 CC SEQUENCE FROM N.A.
 CC MULLINI-2118710; PubMed: 11285252;
 CC Nishimura D.Y., Searby C.C., Carmi P., Elbedour K., Van Maldergem L.,
 CC Fillion A.B., Lam P.L., Powell R.P., Swiderski P.E., Budge K.E.,
 CC Haider N.B., Wittek-Black A.E., Ying L., Duhl D.M., Gorman S.M.,
 CC Heon E., Iannaccone A., Bonneau D., Biesecker L.G., Jacobson S.G.,
 CC Stone E.M., Sheffield V.C.;
 CC "Positional cloning of a novel gene on chromosome 16q causing
 CC Bardet-Biedl syndrome (BBS2)".
 CC Hum. Mol. Genet. 10:865-874(2001).
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC FMBL: AF342739; AAK28555.1; -
 CC SEQUENCE 715 AA: 70125 MW: 1267700.458650 CRC64;
 Query Match 65.5%; Score 36; DB 1; Length 715;
 Best Local Similarity 70.0%; Pred. No. 30;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 2 LMLELQDYEE 11
 DB 348 LMLELRNVEE 357

FT CONFLICT 2347 2348 DG > EF (IN REF. 2).
 FT CONFLICT 2448 2448 I > Y (IN REF. 2).
 SQ SEQUENCE 2472 AA; 284279 MW; CQA19F4462A70280 CAC64.

Query Match 65.58; Score 36; DB 1; Length 2472;
 Best Local Similarity 63.68; From No. 1 to 99;
 Matches 7; Conservative 2; Mismatches 2; Indels 0; Gaps 0.

OY 1 ELMRLQDYQE 11

|||||

DB 970 ELVIALYDYQE 980

RESULT 7

ID SPEN_RAT STANDARD; PPT: 2472 AA.

AC P16086; P70477; O88663;

DI 01-APR-1990 (Rel. 14, Created)

DI 15-JUN-2002 (Rel. 41, Last sequence update)

DI 15-JUN-2002 (Rel. 41, Last annotation update)

DE Spectrin alpha chain, brain (Spectrin, non-erythroid alpha chain)

DE (Alpha-II spectrin) (Fodrin alpha chain).

GN SPAN1 OR SP2A2.

OS Rattus norvegicus (Rat).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus

OX NCBI_taxid=10116;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN-Misc; TISSUE=Liver;

PA Kalamazaki P.; Garzanti P.;

RT "Structural and functional characterization of the calmodulin and

calpain binding domains of rat liver alphaII spectrin."

RL Submitted (Aug-1998) to the EMBL/GenBank/DBJ databases.

RN [2]

RP SEQUENCE FROM N.A.

RC TISSUE=Skeletal muscle;

RA Zhou D.; Ursell L.A.; Porter N.C.; Pandall W.P.; Bloch P.T.;

RT "Expression cloning of alpha-fodrin from rat skeletal muscle."

RL Submitted (Aug-1998) to the EMBL/GenBank/DBJ databases.

RN [3]

RP SEQUENCE OF 1292 2321 FROM N.A.

RC TISSUE=Kidney;

EX MEDLINE=8932727; F.B.M.-8-2753883.

RA Hong W.; Doyle B.;

RT "Cloning and analysis of cDNA clones for rat kidney alpha-spectrin."

RL J Biol Chem 264:12758-12764 (1989)

CC -!- FUNCTION: FODRIN, WHICH SEEMS TO BE INVOLVED IN SEPTATION.

CC INTERACTS WITH CALMODULIN IN A CALCIUM-DEPENDENT MANNER AND IS

THUS CANDIDATE FOR THE CALCIUM-DEPENDENT MOVEMENT OF THE

CYTOSKELETON AT THE MEMBRANE (By similarity).

CC -!- SUBUNIT: LIKE ERYTHROCYTE SPECTRIN, THE SPECTRIN-LIKE PROTEINS

ARE CAPABLE TO FORM DIMERS WHICH CAN FURTHER ASSOCIATE TO

TETRAMERS.

CC -!- SIMILARITY: BELONGS TO THE SPECTRIN FAMILY.

CC -!- SIMILARITY: CONTAINS 2 EF-HAND CALCIUM-BINDING DOMAINS.

CC -!- SIMILARITY: CONTAINS 1 SH3 DOMAIN.

CC -!- SIMILARITY: CONTAINS 2 SPECTRIN REPEATS

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

between the Swiss Institute of Bioinformatics and the EMBL outstation -

the European Bioinformatics Institute. There are no restrictions on its

use by non profit institutions as long as its content is in no way

modified and this statement is not removed. Usage by and for commercial

entities requires a license agreement (See <http://www.usp-sib.ch/announcement/>

or send an email to license@sib-sib.ch).

CC -----

DR EMBL: X90845; CAA62350.1; -

DR EMBL: AF084186; AAC33127.1; -

DR EMBL: J04828; AAM40770.1; -

DR PIR: A32612; A32612.

DR HSP: P07751; IAT3.

DR InterPro: IPR000048; EF-hand

DR InterPro: IPR001452; SH3.
 DR InterPro: IPR00017; Spectrin.
 DR Pfam: PF00018; SH3_1.
 DR Pfam: PF00036; efhand; 2.
 DR Pfam: PF00435; spectrin; 33.
 DR SMART: SM00004; EFL; 2.
 DR SMART: SM00326; SH3; 1.
 DR SMART: SM00150; SPEG; 29.
 DR PROSITE: PS00018; EF_HAND; 2.
 DR PROSITE: PS00002; SH3; 1.

KW Cytoskeleton; Membrane; Calmodulin-binding; Actin-binding;
 KW Capping protein; Calcium-binding; Repeat; SH3 domain.

FT REPEAT 10 42 SPECTRIN 1.

FT REPEAT 44 147 SPECTRIN 2.

FT REPEAT 149 253 SPECTRIN 3.

FT REPEAT 255 359 SPECTRIN 4.

FT REPEAT 361 465 SPECTRIN 5.

FT REPEAT 467 571 SPECTRIN 6.

FT REPEAT 573 676 SPECTRIN 7.

FT REPEAT 678 782 SPECTRIN 8.

FT REPEAT 784 888 SPECTRIN 9.

FT REPEAT 890 955 SPECTRIN 10.

FT DOMAIN 967 1026 SH3.

FT REPEAT 1062 1089 SPECTRIN 11.

FT REPEAT 1091 1161 SPECTRIN 12.

FT REPEAT 1208 1231 SPECTRIN 13.

FT REPEAT 1233 1337 SPECTRIN 14.

FT REPEAT 1339 1443 SPECTRIN 15.

FT REPEAT 1445 1549 SPECTRIN 16.

FT REPEAT 1551 1656 SPECTRIN 17.

FT REPEAT 1658 1762 SPECTRIN 18.

FT REPEAT 1764 1868 SPECTRIN 19.

FT REPEAT 1870 1974 SPECTRIN 20.

FT REPEAT 1976 2081 SPECTRIN 21.

FT REPEAT 2091 2195 SPECTRIN 22.

FT REPEAT 2205 2310 SPECTRIN 23.

FT CA-BIND 2336 2347 EF-HAND 1 (POTENTIAL).

FT CA-BIND 2379 2390 EF-HAND 2 (POTENTIAL).

FT CONFLICT 1329 1329 D > Y (IN REF. 3).

FT CONFLICT 1514 1514 V > L (IN REF. 1).

FT CONFLICT 1702 1702 L > A (IN REF. 3).

FT CONFLICT 1971 1972 KL > NV (IN REF. 1).

FT CONFLICT 2205 2205 KL > NV (IN REF. 1).

FT CONFLICT 2310 2321 QQQAENTTSVT > HAQFGQEHKSH (IN REF. 3).

SQ SEQUENCE 2472 AA; 284635 MW; UDDDFGIA2871278A CAC64;

Query Match 65.58; Score 36; DB 1; Length 2472;

Best Local Similarity 63.68; From No. 1 to 99;

Matches 7; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 1 ELMRLQDYQE 11

|||||

DB 970 ELVIALYDYQE 980

RESULT 8

ID SPEN_CHICK STANDARD; PPT: 2477 AA.

AC P07751;

DI 01-AUG-1988 (Rel. 08, Created)

DI 01-AUG-1991 (Rel. 19, Last sequence update)

DI 16-OCT-2001 (Rel. 40, Last annotation update)

DE Spectrin alpha chain, brain (Spectrin, non-erythroid alpha chain)

DE (Fodrin alpha chain).

GN SPAN1 OR SP2A2.

OS Gallus gallus (Chicken).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Archosauria; Aves; Neornithae; Galliformes; Phasianinae;

OC Gallus.

OX NCBI_taxid=9031;

RN [1]

RP SEQUENCE FROM N.A.

RP MEDLINE 8909238; PubMed 2610879;

RA Wasenius V. M., Saraste M., Salven P., Eraama M., Holm M.,
 RA Lehto V.-P.;
 RA "Primary structure of the brain alpha-spectrin.";
 RA J. Cell Biol. 108:79-93(1989).
 RN [2]
 RP REVISIONS.
 RA Wasenius V. M., Saraste M., Salven P., Eraama M., Holm M.,
 RA Lehto V.-P.;
 RA J. Cell Biol. 108:1177-1178(1989).
 RN [4]
 RP SEQUENCE OF 1695-2153 FROM N.A.
 RX MEDLINE=95284928; PubMed 4059118;
 RA Wasenius V. M., Saraste M., Knowles J., Virtanen I., Lehto V.-P.;
 RA "Sequencing of the chicken non erythroid spectrin cDNA reveals an
 RA internal repetitive structure homologous to the human erythrocyte
 RA spectrin.";
 RA SPOCtrin.";
 RA EMBO J. 4:1425-1440(1985).
 RN [4]
 RP X-RAY CRYSTALLOGRAPHY (1.8 ANGSTROMS) OF 965-1025
 RX MEDLINE=93063299; PubMed-1279414;
 RA Musacchio A., Noble M., Pauptit R., Wierenga R., Saraste M.;
 RA "Crystal structure of a Spectrin homology 3 (SH3) domain.";
 RA Nature 359:851-855(1992).
 RN [5]
 RP X-RAY CRYSTALLOGRAPHY (2.0 ANGSTROMS) OF 969-1025.
 RX MEDLINE=98363217; PubMed-9699637;
 RA Martinez J.C., Pisabarro M.F., Serrano L.;
 RA "obligatory steps in protein folding and the conformational diversity
 RA of the transition state";
 RA Nat. Struct. Biol. 5:721-726(1998)
 RN [6]
 RP STRUCTURE BY NMR OF 1763-1872.
 RX MEDLINE=98022917; PubMed-9456261;
 RA Pascual J., Pfuhl M., Walther D., Saraste M., Nilges M.;
 RA "Solution structure of the spectrin repeat: a left-handed
 RA antiparallel triple-helical coiled-coil.";
 RA J. Mol. Biol. 273:740-751(1997).
 RN [7]
 RP STRUCTURE BY NMR OF 2320-2403.
 RX MEDLINE=96067121; PubMed-7588621;
 RA Trave G., Lacombe J.-P., Pfuhl M., Saraste M., Pastore A.;
 RA "Molecular mechanism of the calcium-induced conformational change in
 RA the spectrin EF-hands.";
 RA EMBO J. 14:4922-4931(1995).
 CC -1- FUNCTION: MORPHOLOGICALLY, SPECTRIN-LIKE PROTEINS APPEAR TO BE
 CC RELATED TO SPECTRIN, SHOWING A FLEXIBLE ROD-LIKE STRUCTURE.
 CC THEY CAN BIND ACTIN BUT SEEM TO DIFFER IN THEIR CALMODULIN-
 CC BINDING ACTIVITY. IN NONERYTHROID TISSUES, SPECTRINS, IN
 CC ASSOCIATION WITH SOME OTHER PROTEINS, MAY PLAY AN IMPORTANT
 CC ROLE IN MEMBRANE ORGANIZATION
 CC -1- SUBUNIT: LIKE ERYTHROCYTE SPECTRIN, THE SPECTRIN-LIKE PROTEINS
 CC ARE CAPABLE TO FORM DIMERS WHICH CAN FURTHER ASSOCIATE TO
 CC TETRAMERS.
 CC 1- DOMAIN: SPECTRIN-LIKE PROTEINS HAVE FIVE DOMAINS.
 CC (1) N-TERMINAL DOMAIN (N).
 CC (2) DOMAIN BETWEEN THE N-TERMINAL AND MIDDLE DOMAIN (NM).
 CC (3) MIDDLE DOMAIN (M).
 CC (4) DOMAIN BETWEEN THE MIDDLE AND C-TERMINAL DOMAIN (MC).
 CC (5) C-TERMINAL DOMAIN (C).
 CC NM AND MC DOMAINS ARE COMPOSED OF TYPICAL SPECTRIN 106 RESIDUES
 CC REPEATS (1-8 FOR NM AND 12-19 FOR MC) AND ARE HOMOLOGOUS TO EACH
 CC OTHER. N, M, AND C DOMAINS ARE COMPOSED OF SEQUENCES THAT DO NOT
 CC FORM TYPICAL SPECTRIN REPEATS.
 CC 1- SIMILARITY: BELONGS TO THE SPECTRIN FAMILY.
 CC -1- SIMILARITY: CONTAINS 1 SH3 DOMAIN.

THIS SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed, usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

CC
 DR EMBL: X14518; CAA32662.1;
 DR EMBL: X14519; CAA32663.1; ALT_SEQ.
 DR EMBL: X02593; CAH51571.1; ALT_SEQ.
 DR PIR: A30122; SJCHA.
 DR PDB: 1SHG; 31-OCT-93.
 DR PDB: 1AEY; 15-MAY-97.
 DR PDB: 1AJ3; 07-JUL-97.
 DR PDB: 1TUC; 01-AUG-96.
 DR PDB: 1TUD; 01-AUG-96.
 DR PDB: 1HK2; 16-FEB-99.
 DR InterPro: IPR002048; EF-hand.
 DR InterPro: IPR001452; SH3.
 DR InterPro: IPR002017; Spectrin.
 DR Pfam: PF000318; SH3; 1.
 DR Pfam: PF000316; ehand; 2.
 DR Pfam: PF00435; spectrin; 23.
 DR PRINTS: PR00452; SH3DOMAIN.
 DR ProDom: PD000012; EF-hand; 1.
 DR ProDom: PD000066; SH3; 1.
 DR SMART: SM00054; ehh; 2.
 DR SMART: SM00326; SH3; 1.
 DR SMART: SM00150; SPEC; 20.
 DR PROSITE: PS00018; EF_HAND; 2.
 DR PROSITE: PS00018; SH3; 1.
 DR Cytoskeleton; Membrane; Calmodulin-binding; Actin-binding;
 KW Capping protein; Calcium-binding; Repeat; SH3 domain; 3D-structure.
 FT DOMAIN 1 14
 FT REPEAT 15 119
 FT REPEAT 120 225
 FT REPEAT 226 331
 FT REPEAT 332 437
 FT REPEAT 438 543
 FT REPEAT 544 648
 FT REPEAT 649 754
 FT REPEAT 755 860
 FT REPEAT 861 966
 FT DOMAIN 967 1061
 FT DOMAIN 1062 1256
 FT DOMAIN 1257 1415
 FT REPEAT 1416 1521
 FT REPEAT 1522 1633
 FT REPEAT 1634 1739
 FT REPEAT 1740 1845
 FT REPEAT 1846 1951
 FT REPEAT 1952 2058
 FT REPEAT 2059 2171
 FT REPEAT 2172 2256
 FT DOMAIN 2257 2477
 FT CA_BIND 2341 2352
 FT CA_BIND 2384 2395
 FT STRAND 971 974
 FT STRAND 978 978
 FT TURN 983 984
 FT STRAND 985 985
 FT STRAND 988 988
 FT TURN 990 991
 FT STRAND 993 998
 FT STRAND 1004 1009
 FT TURN 1010 1011
 FT STRAND 1012 1017
 FT HELIX 1018 1020
 FT STRAND 1021 1024
 SQ SEQUENCE 2477 AA; 285361 MW; AD4C87694F6AB49 CR664;

Query Match 65.58; Score 46; DB 1; Length 2477;
 Best Local Similarity 63.58; Pred. Re. 1.2e+02;
 Matches 7; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ELMRLQDVEE 11

|||||
970 ELVLYDYQE 980

RESULT 9

AACT_HUMAN STANFAPD: PPT: 892 AA.
ID AACT_HUMAN
AC P12814;
DT 01-OCT-1989 (Rel. 12, Created)
DI 01-OCT-1989 (Rel. 12, Last sequence update)
DI 16-OCT-2001 (Rel. 40, Last annotation update)
DE Alpha-actinin 1 (Alpha-actinin cytoskeletal isoform) (Non-muscle
DE alpha-actinin 1) (F-actin cross linking protein).
GN ACTN1.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominoidea; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Placenta;
RX MEDLINE=89385999; PubMed=2780298;
RA Millak D.B., Blanchard A.D., Patel B., Critchley D.R.;
RT "The cDNA sequence of a human placental alpha-actinin.";
PL Nucleic Acids Res 17:6725-6725(1989).
[2]
RN SEQUENCE FROM N.A.
RX MEDLINE=90274024; PubMed=2349951;
RA Yousoufian H., McAfee M., Kwiatkowski D.J.;
RT "Cloning and characterization of the human cytoskeletal
RT alpha-actinin gene reveals linkage to the beta-spectrin gene.";
RL Am. J. Hum. Genet 47:6271(1990).
[3]
RN SEQUENCE OF 797 892 FROM N.A.
RX MEDLINE=90381709; PubMed=2169343;
RA Nishiyama M., Ostlund M., Förlin M., Mafune K., I., Stenlund T.
RA Wands J.R.;
RT "Expression of human alpha-actinin in human hepatocellular
RT carcinoma.";
RL Cancer Res. 50:6291-6294(1990).
[4]
RN SEQUENCE OF 134-146.
RX MEDLINE=96311348; PubMed=8713105;
RA Egerlon M., Moritz R.L., Druker B., Kelso A., Simpson R.J.;
RT Identification of the 76KD heat shock cognate protein (Hsc70) and
RT alpha-actinin-1 as novel phosphotyrosine-containing proteins in T
RT lymphocytes.";
RI Biochem. Biophys. Res. Commun 224:666-674(1996)
CC -!- FUNCTION: F-ACTIN CROSS-LINKING PROTEIN WHICH IS PROUGHT TO ANCHOR
CC ACTIN TO A VARIETY OF INTRACELLULAR STRUCTURES. THIS IS A BINDING
CC PROTEIN.
CC -!- SUBUNIT: HOMODIMER, ANTIPARALLEL.
CC -!- SIMILARITY: CONTAINS 1 ACTIN-BINDING DOMAIN.
CC -!- SIMILARITY: CONTAINS 2 CALPONIN-HOMOLOGY (CH) DOMAINS.
CC -!- SIMILARITY: CONTAINS 2 EF HAND CALCIUM-BINDING DOMAINS.
CC -!- SIMILARITY: CONTAINS 4 SPECTRIN REPEATS.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcements/>
CC or send an email to license@sib-sib.ch).
CC
CC EMBL: X15804; CAA33603.1;
CC EMBL: M95178; AAA51582.1;
CC EMBL: X55187; CAA38970.1;
CC EMBL: S05503; S05503.
CC HSP: Q01082; 1BK8
CC Genbank: HGNC:163; ACTN1.
CC MIM: 102575;
CC InterPro: IPR001589; Actbind_actain.

DR InterPro: IPR001715; Calponin-like.
DR InterPro: IPR002048; EF-hand.
DR InterPro: IPR002017; Spectrin.
DR Pfam: PF00036; efhand; 2.
DR Pfam: PF00307; CH; 2.
DR Pfam: PF00435; spectrin; 4.
DR ProDom: PD000912; EF-hand; 1.
DR SMART: SM00033; CH; 2.
DR SMART: SM00054; EPH; 2.
DR SMART: SM00150; SPC; 2.
DR PROSITE: PS00019; ACTININ_1; 1.
DR PROSITE: PS00020; ACTININ_2; 1.
DR PROSITE: PS00021; CH; 2.
DR PROSITE: PS00018; EF_HAND; 1.
KW Actin-binding; Calcium-binding; Repeat; Multigene family.
FT DOMAIN 1 247
FT DOMAIN 2 247
FT DOMAIN 3 247
FT DOMAIN 4 247
FT REPEAT 274 384
FT REPEAT 394 459
FT REPEAT 509 620
FT REPEAT 630 733
FT CA_BIND 759 770
FT CA_BIND 800 811
FT CONFLICT 317 317
FT CONFLICT 477 477
FT CONFLICT 630 631
FT CONFLICT 654 654
FT CONFLICT 656 656
FT CONFLICT 674 674
FT CONFLICT 778 778
SQ SEQUENCE 892 AA; 100974 MW; 20AF02FEEDAF12 CPO64;
Quality Match 63.6% Score 35, LH 1, length 892;
Best Local Similarity 70.0% Prod. No. 60;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ELMLKQDYE 10
I ||| |||

DB 414 KMLRQKDYE 423

RESULT 10

AACT_HUMAN STANFAPD: PPT: 892 AA.
ID AACT_HUMAN
AC A091P2;
DI 16-OCT-2001 (Rel. 40, Created)
DI 16-OCT-2001 (Rel. 40, Last sequence update)
DI 16-OCT-2001 (Rel. 40, Last annotation update)
DE Alpha-actinin 1 (Alpha-actinin cytoskeletal isoform) (Non-muscle
DE alpha-actinin 1) (F-actin cross linking protein).
GN ACTN1.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathia; Muridae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC ISSU=Hippocampus;
RA Schulz T.W., Seeburg P.H.;
RT "Rattus norvegicus non-muscle alpha-actinin 1 mRNA.";
RI Submitted (DEC-1998) to the EMBL/GenBank/CDT databases.
CC -!- FUNCTION: F-ACTIN CROSS-LINKING PROTEIN WHICH IS PROUGHT TO ANCHOR
CC ACTIN TO A VARIETY OF INTRACELLULAR STRUCTURES. THIS IS A BINDING
CC PROTEIN (BY SIMILARITY).
CC -!- SUBUNIT: HOMODIMER, ANTIPARALLEL (BY SIMILARITY).
CC -!- SIMILARITY: CONTAINS 1 ACTIN-BINDING DOMAIN.
CC -!- SIMILARITY: CONTAINS 2 CALPONIN-HOMOLOGY (CH) DOMAINS.
CC -!- SIMILARITY: CONTAINS 2 EF-HAND CALCIUM-BINDING DOMAINS.
CC -!- SIMILARITY: CONTAINS 4 SPECTRIN REPEATS.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

DR InterPro: IP000326; s10_plectin.
 DR InterPro: IP0002017; Spectrin.
 DR Pfam: PF03501; CH 2.
 DR Pfam: PF03501; s10_plectin; 1.
 DR PROSITE: PS00019; ACTININ_1; 1.
 DR PROSITE: PS00020; ACTININ_2; FALSE_NEG.
 DR PROSITE: PS00021; CH 2.
 KW Repeat: Structural protein: Cytoskeleton: Actin-binding.
 KW Alternative splicing.
 FT DOMAIN 1 5964 GLOBULAR.
 FT DOMAIN 181 411 ACTIN-BINDING.
 FT DOMAIN 185 293 CH 1.
 FT DOMAIN 306 408 CH 2.
 FT REPEAT 653 727 SPECTRIN 1.
 FT REPEAT 748 832 SPECTRIN 2.
 FT REPEAT 845 938 SPECTRIN 3.
 FT VARSPLIC 1 5 MVACM -> MKLVP (IN ISOFORM PLEC 1D AND ISOFORM PLEC 1D, 2A).
 FT VARSPLIC 1 15 MVACMPLDRI -> MPESEATQETISLK (IN ISOFORM PLEC 1E AND ISOFORM PLEC 1E, 2A).
 FT VARSPLIC 1 28 MVACMPLDRI -> PAIYEVLFREVMVAK > MAHLETSQP PDEQDFIQAYEVRERK (IN ISOFORM PLEC 1F).
 FT VARSPLIC 1 33 MVACMPLDRI -> PAIYEVLFREVMVAKDRP -> MNET VCPEKISPSSESTISPLETSVT-TKTS (IN ISOFORM PLEC 1I).
 FT VARSPLIC 1 37 MVACMPLDRI -> PAIYEVLFREVMVAKDRPRPSLK -> MSQRRLVPEPEGLGSKRTSSSDNIYLAIVRASEGLK (IN ISOFORM PLEC 1A).
 FT VARSPLIC 1 37 MVACMPLDRI -> PAIYEVLFREVMVAKDRPRPSLK -> MPESSLEPSLVVGHVTLAAVMKRGKIRQADEQ (IN ISOFORM PLEC 1B AND ISOFORM PLEC 1B, 2A).
 FT VARSPLIC 1 44 MVACMPLDRI -> PAIYEVLFREVMVAKDRPRPSLKHPV GVT -> MACTWAACVPTSQRRVILPCWLDGGCQVRR GYLQGCCV (IN ISOFORM PLEC 1G).
 FT VARSPLIC 1 66 MVACMPLDRI -> PAIYEVLFREVMVAKDRPRPSLKHPV GVTNLOWMAMASLKARGLVRETEA -> MSEDSEVRPVA VEGSSNGSGSPGDLPLNGLKTPSPRSRGASVNGS. VLEPAEAVTPTA (IN ISOFORM PLEC 1B, 1C, AND ISOFORM PLEC 0, 1C, 2A, 3A AND ISOFORM PLEC 0, 1C, 2A).
 FT VARSPLIC 1 242 MISSING (IN ISOFORM PLEC 1H).
 FT VARSPLIC 6 180 MISSING (IN ISOFORM PLEC 1D AND ISOFORM PLEC 1D, 2A).
 FT VARSPLIC 16 180 MISSING (IN ISOFORM PLEC 1E).
 FT VARSPLIC 29 180 MISSING (IN ISOFORM PLEC 1F).
 FT VARSPLIC 34 180 MISSING (IN ISOFORM PLEC 1I).
 FT VARSPLIC 38 180 MISSING (IN ISOFORM PLEC 1A, ISOFORM PLEC 1B AND ISOFORM PLEC 1B, 2A).
 FT VARSPLIC 45 180 MISSING (IN ISOFORM PLEC 1G).
 FT VARSPLIC 67 180 MISSING (IN ISOFORM PLEC 0, 1C AND ISOFORM PLEC 0, 1C, 2A, 3A).
 FT VARSPLIC 202 206 MISSING (IN ISOFORM PLEC 1, ISOFORM PLEC 1A, ISOFORM PLEC 1B, ISOFORM PLEC 1D, ISOFORM PLEC 1E, ISOFORM PLEC 1F, ISOFORM PLEC 1G, ISOFORM PLEC 1F, ISOFORM PLEC 0, 1C AND ISOFORM PLEC 1B).
 FT VARSPLIC 239 239 E -> ERMVRSVRLPRE (IN ISOFORM PLEC 0, 1C, 2A, 3A).
 FT CONFLICT 202 206 MISSING (IN PEP 2).
 FT NON_TER 964 964
 SQ SEQUENCE 964 AA: 111661 MW: 128456E2E2A30E GP: 64.
 Query Match 63.6%; Score 35; DH 1; Length 964;
 Best Local Similarity 63.6%; Prod. No. 65;
 Matches 7; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QV 1 ELMRLQDYEE 11
 DB 424 ELQRLQDYEE 434
 RESULT 12
 PLEC_CRIGF

10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532
 533
 534
 535
 536
 537
 538
 539
 540
 541
 542
 543
 544
 545
 546
 547
 548
 549
 550
 551
 552
 553
 554
 555
 556
 557
 558
 559
 560
 561
 562
 563
 564
 565
 566
 567
 568
 569
 570
 571
 572
 573
 574
 575
 576
 577
 578
 579
 580
 581
 582
 583
 584
 585
 586
 587
 588
 589
 590
 591
 592
 593
 594
 595
 596
 597
 598
 599
 600
 601
 602
 603
 604
 605
 606
 607
 608
 609
 610
 611
 612
 613
 614
 615
 616
 617
 618
 619
 620
 621
 622
 623
 624
 625
 626
 627
 628
 629
 630
 631
 632
 633
 634
 635
 636
 637
 638
 639
 640
 641
 642
 643
 644
 645
 646
 647
 648
 649
 650
 651
 652
 653
 654
 655
 656
 657
 658
 659
 660
 661
 662
 663
 664
 665
 666
 667
 668
 669
 670
 671
 672
 673
 674
 675
 676
 677
 678
 679
 680
 681
 682
 683
 684
 685
 686
 687
 688
 689
 690
 691
 692
 693
 694
 695
 696
 697
 698
 699
 700
 701
 702
 703
 704
 705
 706
 707
 708
 709
 710
 711
 712
 713
 714
 715
 716
 717
 718
 719
 720
 721
 722
 723
 724
 725
 726
 727
 728
 729
 730
 731
 732
 733
 734
 735
 736
 737
 738
 739
 740
 741
 742
 743
 744
 745
 746
 747
 748
 749
 750
 751
 752
 753
 754
 755
 756
 757
 758
 759
 760
 761
 762
 763
 764
 765
 766
 767
 768
 769
 770
 771
 772
 773
 774
 775
 776
 777
 778
 779
 780
 781
 782
 783
 784
 785
 786
 787
 788
 789
 790
 791
 792
 793
 794
 795
 796
 797
 798
 799
 800
 801
 802
 803
 804
 805
 806
 807
 808
 809
 810
 811
 812
 813
 814
 815
 816
 817
 818
 819
 820
 821
 822
 823
 824
 825
 826
 827
 828
 829
 830
 831
 832
 833
 834
 835
 836
 837
 838
 839
 840
 841
 842
 843
 844
 845
 846
 847
 848
 849
 850
 851
 852
 853
 854
 855
 856
 857
 858
 859
 860
 861
 862
 863
 864
 865
 866
 867
 868
 869
 870
 871
 872
 873
 874
 875
 876
 877
 878
 879
 880
 881
 882
 883
 884
 885
 886
 887
 888
 889
 890
 891
 892
 893
 894
 895
 896
 897
 898
 899
 900
 901
 902
 903
 904
 905
 906
 907
 908
 909
 910
 911
 912
 913
 914
 915
 916
 917
 918
 919
 920
 921
 922
 923
 924
 925
 926
 927
 928
 929
 930
 931
 932
 933
 934
 935
 936
 937
 938
 939
 940
 941
 942
 943
 944
 945
 946
 947
 948
 949
 950
 951
 952
 953
 954
 955
 956
 957
 958
 959
 960
 961
 962
 963
 964
 965
 966
 967
 968
 969
 970
 971
 972
 973
 974
 975
 976
 977
 978
 979
 980
 981
 982
 983
 984
 985
 986
 987
 988
 989
 990
 991
 992
 993
 994
 995
 996
 997
 998
 999
 1000

PLEC_CRIGF STANDARD PPT 4473 AA.
 09J155;
 16-OCT-2001 (Rel. 40, Created)
 16 OCT-2001 (Rel. 40, last sequence update)
 15 OCT-2001 (Rel. 40, last annotation update)
 Plectin 1 (PLTN) (PCN) (400-kDa intermediate filament-associated protein) (IFAP300) (Fragment).
 GN PLECI.
 OS Cricetus griseus (Chinese hamster).
 CC Eukaryota, Metazoa, Chordata, Vertebrata, Euteleostomi;
 CC Mammalia, Eutheria, Rodentia, Sciurognathi, Muridae, Cricetinae;
 CC Cricetus.
 CC NCBI_TaxID:10029;
 (1)
 SEQUENCE FROM N.A.
 MEDLINE-20334248; PubMed-10873583;
 Clubb B.H., Chou Y.-H., Herrmann H., Svitekina T.M., Horisy G.G., Goldman R.D.;
 "The 300-kDa intermediate filament associated protein (IFAP300) is a hamster plectin ortholog.";
 Biochem. Biophys. Res. Commun. 273:183-187(2000).
 (2)
 PHOSPHORYLATION
 MEDLINE-46215123; PubMed-4626512;
 Malecz N., Folsner R., Stadler C., Wiche G.;
 "Identification of plectin as a substrate of p34cdc2 kinase and mapping of a single phosphorylation site.";
 J. Biol. Chem. 271:8203-8208(1996).
 (1)
 FUNCTION: INTERLINKS INTERMEDIATE FILAMENTS WITH MICROTUBULES AND MICROFILAMENTS AND ANCHORS INTERMEDIATE FILAMENTS TO DESMOSESOMES OR HEMIDESMOSES. MAY BE INVOLVED NOT ONLY IN THE CPGSLINKING AND STABILIZATION OF CYTOSKELETAL INTERMEDIATE FILAMENTS NETWORK, BUT ALSO IN THE REGULATION OF THEIR DYNAMICS.
 (1)
 SUBUNIT: HOMODIMER OR HOMOTETRAMER.
 (1)
 DOMAIN: THE N-TERMINUS INTERACTS WITH ACTIN. THE C-TERMINUS WITH VIMENTIN, DESMIN, GAP, CYTOKERATINS, LAMIN B; WHEREAS BOTH THE N- AND THE C-TERMINUS CAN BIND INTEGRIN BETA 4.
 (1)
 PTM: PHOSPHORYLATED BY Cdc2. REGULATES DISSOCIATION FROM INTERMEDIATE FILAMENTS DURING MITOSIS.
 (1)
 SIMILARITY: CONTAINS 1 ACTIN-BINDING DOMAIN.
 (1)
 SIMILARITY: CONTAINS 2 CALPONIN-HOMOLOGY (CH) DOMAINS.
 (1)
 SIMILARITY: CONTAINS 32 PLECTIN REPEATS.
 (1)
 SIMILARITY: CONTAINS 4 SPECTRIN REPEATS.
 (1)
 SIMILARITY: RELATES TO THE PLAKIN OR CYTOLINKER FAMILY.

 This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement. (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

 EMBL: AF260753; AAF70372.1;
 HSP: Q01082; IAKP.
 InterPro: IPR001589; Actbind_actinin.
 InterPro: IPR001719; Calponin-like.
 InterPro: IPR001101; Plectin-repeat.
 InterPro: IPR002017; Spectrin.
 Pfam: PF03037; CH 2.
 Pfam: PF06681; Plectin_20.
 SMART: SM00033; CH 2.
 SMART: SM00250; PLEC 32.
 SMART: SM00150; SPCP 4.
 PROSITE: PS00019; ACTININ_1; PARTIAL.
 PROSITE: PS00020; ACTININ_2; FALSE_NEG.
 PROSITE: PS00021; CH 2.
 Coiled coil: Repeat; Structural protein; Cytoskeleton; Actin-binding; Phosphorylation.
 NON_TER 1
 FT DOMAIN <1 1259 GLOBULAR 1.
 FT DOMAIN 1260 2544 CENTRAL FIBROUS ROD DOMAIN.
 FT DOMAIN 2545 4473 GLOBULAR 2.

FT DOMAIN 1 192 ACTIN-BINDING.
 FT DOMAIN 1 74 CH 1.
 FT DOMAIN 87 189 CH 2.
 FT REPEAT 449 508 SPECTRIN 1.
 FT REPEAT 529 613 SPECTRIN 2.
 FT REPEAT 626 719 SPECTRIN 3.
 FT REPEAT 1104 1204 SPECTRIN 4.
 FT DOMAIN 1258 2548 COILED COIL (POTENTIAL).
 FT REPEAT 2615 2652 PLECTIN 1.
 FT REPEAT 2653 2690 PLECTIN 2.
 FT REPEAT 2691 2728 PLECTIN 3.
 FT REPEAT 2729 2766 PLECTIN 4.
 FT REPEAT 2770 2804 PLECTIN 5.
 FT REPEAT 2905 2942 PLECTIN 6.
 FT REPEAT 2943 2980 PLECTIN 7.
 FT REPEAT 2981 3018 PLECTIN 8.
 FT REPEAT 3057 3094 PLECTIN 9.
 FT REPEAT 3274 3311 PLECTIN 10.
 FT REPEAT 3312 3349 PLECTIN 11.
 FT REPEAT 3350 3387 PLECTIN 12.
 FT REPEAT 3388 3425 PLECTIN 13.
 FT REPEAT 3429 3463 PLECTIN 14.
 FT REPEAT 3609 3646 PLECTIN 15.
 FT REPEAT 3647 3684 PLECTIN 16.
 FT REPEAT 3685 3722 PLECTIN 17.
 FT REPEAT 3723 3760 PLECTIN 18.
 FT REPEAT 3761 3797 PLECTIN 19.
 FT REPEAT 3798 3834 PLECTIN 20.
 FT REPEAT 3835 3872 PLECTIN 21.
 FT REPEAT 3873 3910 PLECTIN 22.
 FT REPEAT 3911 3948 PLECTIN 23.
 FT REPEAT 3949 3986 PLECTIN 24.
 FT REPEAT 3987 4024 PLECTIN 25.
 FT REPEAT 4025 4062 PLECTIN 26.
 FT REPEAT 4063 4099 PLECTIN 27.
 FT REPEAT 4100 4137 PLECTIN 28.
 FT REPEAT 4138 4175 PLECTIN 29.
 FT REPEAT 4176 4213 PLECTIN 30.
 FT REPEAT 4214 4251 PLECTIN 31.
 FT REPEAT 4252 4289 PLECTIN 32.
 FT DOMAIN 4039 4089 BINDING TO INTERMEDIATE FILAMENTS (BY SIMILARITY).
 FT DOMAIN 4414 4429 4 X 4 AA LAMIN REPEATS OF G-S-R-X.
 FT MOD RES 4328 4328 PHOSPHORYLATION (BY CDC2).
 SQ SEQUENCE 4473 AA: 509015 MW: 514461SD361E33484 CRC64;
 Query Match 63.6%; Score 35; DB 1; Length 4473.
 Best local similarity 63.6%; Prod. No. 3.6e+02;
 Matches 7; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 ELMRLQDVEE 11
 ID 205 ELGLRQWYRE 215
 RESULT 13
 PLE1_HUMAN
 ID PLE1_HUMAN STANDARD; PRI: 4684 AA.
 AC Q15149; Q16640; Q15148;
 DI 16-OCT-2001 (Ref. 40, last sequence update)
 DI 16-OCT-2001 (Ref. 40, last sequence update)
 DI 16-OCT-2001 (Ref. 40, last annotation update)
 DE Plectin 1 (PLIN) (P/CN) (Hemidesmosomal protein 1) (HDL).
 GN PLECL.
 OS Homo sapiens (human).
 CA Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 CA Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 CX NCBI TaxID 9606;
 FN [1]
 PP SEQUENCE FROM N.A. (ISOFORM 1).
 RC TISSUE: Placenta;
 RX MEDLINE: 96210632; PubMed 8634055;
 RA Liu C.-G., Maereker G., Castanon M.J., Hauptmann K., Wiche G.;

RI "Human plectin: organization of the gene, sequence analysis, and
 chromosome localization (8q24).";
 RL Euc. Natl. Acad. Sci. U.S.A. 93:4278-4283(1996).
 RN [2]
 RP SEQUENCE FROM N.A. (ISOFORMS 2 AND 3). AND DISEASE.
 RX MEDLINE: 96312447; PubMed=8698233;
 RA McLean W.H.I., Pulkkinen L., Smith F.J.D., Rugg E.L., Lane E.H.,
 Bullrich F., Burgeson R.P., Amano S., Hudson D.L., Owartha K.,
 McGrath J.A., McMillan J.R., Eady R.A.J., Leigh I.M., Christiano A.M.,
 Uitto J.;
 RI "Loss of plectin causes epidermolysis bullosa with muscular dystrophy:
 cDNA cloning and genomic organization.";
 RL Genes Dev. 10:1724-1735(1996).
 RN [3]
 RP VARIANT MD-EBS 1003-GLN-ALA-1005 DEL.
 RX MEDLINE: 97049959; PubMed=8894687;
 RA Pulkkinen L., Smith F.J.D., Shimizu H., Murata S., Yacita H.,
 Hachisuka H., Nishikawa T., Meleau W.H.I., Uitto J.;
 RI "Homozygous deletion mutations in the plectin gene (PLEC1) in patients
 with epidermolysis bullosa simplex associated with late-onset
 muscular dystrophy.";
 RL Hum. Mol. Genet. 5:1539-1545(1996).
 RN [4]
 RP VARIANT MD-EBS LEU-429 INS.
 RX MEDLINE: 21090821; PubMed=11159198;
 RA Bauer J.W., Roudot F., Koflet B., Reznicek G.A., Kornacker L.,
 Muss W., Hamelner R., Klausberger A., Buber A., Pohla-Gubo G.,
 Wiche G., Uitto J., Hintner H.;
 RI "A compound heterozygous *oxa* amino-acid insertion/deletion mutation in
 the plectin gene causes epidermolysis bullosa simplex with plectin
 deficiency.";
 RL Am. J. Pathol. 158:617-625(2001).
 CC -!- FUNCTION: INTERLINKS INTERMEDIATE FILAMENTS WITH MICROFILAMENTS AND
 MICROFILAMENTS AND ANCHORS INTERMEDIATE FILAMENTS TO DESMOSESOMES OR
 HEMIDESMOSESOMES. COULD ALSO BIND MUSCLE PROTEINS SUCH AS ACTIN TO
 MEMBRANE COMPLEXES IN MUSCLE. MAY BE INVOLVED NOT ONLY IN THE
 CROSSLINKING AND STABILIZATION OF CYTOSKELETAL INTERMEDIATE
 FILAMENTS NETWORK, BUT ALSO IN THE REGULATION OF THEIR DYNAMICS.
 CC -!- SUBUNIT: HOMODIMER OR HOMOTETRAMER.
 CC -!- ALTERNATIVE PRODUCTS: 3 ISOFORMS: 1 (SHOWN HERE), 2 AND 3; ARE
 PRODUCED BY ALTERNATIVE SPLICING.
 CC -!- TISSUE SPECIFICITY: WIDELY EXPRESSED WITH HIGHEST LEVELS IN
 MUSCLE, HEART, PLACENTA AND SPINAL CORD.
 CC -!- DOMAIN: THE N-TERMINUS INTERACTS WITH ACTIN, THE C-TERMINUS WITH
 VIMENTIN, DESMIN, GFAP, CYTOKERATINS, LAMIN B; WHEREAS BOTH THE N-
 AND THE C-TERMINUS CAN BIND INTEGRIN BETA-4.
 CC -!- PTM: PHOSPHORYLATED BY CDC2; REGULATES DISSOCIATION FROM
 INTERMEDIATE FILAMENTS DURING MITOSIS (BY SIMILARITY).
 CC -!- DISEASE: DEFECTS IN PLECL ARE THE CAUSE OF EPIDERMOLYSIS BULLOSA
 WITH MUSCULAR DYSTROPHY (MD-EBS OR EB-MD), AN AUTOSOMAL RECESSIVE
 DISORDER CHARACTERIZED BY EPIDERMAL BLISTER FORMATION AT THE LEVEL
 OF THE HEMIDESMOSE AND ASSOCIATED LATE-ONSET MUSCULAR DYSTROPHY.
 CC -!- SIMILARITY: CONTAINS 1 ACTIN-BINDING DOMAIN.
 CC -!- SIMILARITY: CONTAINS 2 CALPONIN-HOMOLGY (CH) DOMAINS.
 CC -!- SIMILARITY: CONTAINS 33 PLECTIN REPEATS.
 CC -!- SIMILARITY: CONTAINS 4 SPECTRIN REPEATS.
 CC -!- SIMILARITY: BELONGS TO THE PLAKIN OR CYTOLINKER FAMILY.
 CC
 CC This SWISS-PROT entry is copyrighted. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation
 at the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC
 CC EMBL: 254367; CAA91196.1;
 CC EMBL: 053204; AAB05427.1;
 CC EMBL: 063610; AAB05428.1;
 CC EMBL: 063609; AAB05428.1; JOINED.
 CC EMBL: X97053; CAA65765.1;
 CC HSPB: Q01082; 1HKR.
 CC Genew: HGNC:9069; PLECL.

DR MM: 601282;
 DR MM: 226679;
 DR InterPro: IPR001589; Actbind_actnin.
 DR InterPro: IPR001715; Calpainin-like.
 DR InterPro: IPR001101; Plectin_repeat.
 DR InterPro: IPR003326; S10_plectin.
 DR InterPro: IPR002017; Spectrin.
 DR Pfam: PF00407; CH 2.
 DR Pfam: PF00681; plectin_19.
 DR Pfam: PF03501; S10_plectin; 1.
 DR SMART: SM00033; CH 2.
 DR SMART: SM00250; PLEC 33.
 DR SMART: SM00156; SPEC 3.
 DR PROSITE: PS00019; ACTININ_1; FALSE_NEG.
 DR PROSITE: PS00020; ACTININ_2; FALSE_NEG.
 DR PROSITE: PS00021; CH 2.
 KW Coiled coil; Repeat. Structural protein; Cytoskeleton; Actin-binding;
 KW Phosphorylation; Alternative splicing; Epidermolysis bullosa;
 KW Disease mutation
 FT DOMAIN 1 1470 GLABULAP 1
 FT DOMAIN 1471 2755 CENTRAL FIBROUS ROD DOMAIN
 FT DOMAIN 2756 4684 GLOULAR 2.
 FT DOMAIN 175 400 ACTIN-BINDING.
 FT DOMAIN 179 282 CH 1.
 FT DOMAIN 295 397 CH 2.
 FT REPEAT 645 710 SPECTRIN 1
 FT REPEAT 740 824 SPECTRIN 2
 FT REPEAT 837 930 SPECTRIN 3
 FT REPEAT 1315 1415 SPECTRIN 4.
 FT DOMAIN 1469 2756 COILED COIL (POTENTIAL).
 FT REPEAT 2826 3063 FLECTIN 1.
 FT REPEAT 2902 2939 FLECTIN 2.
 FT REPEAT 2940 2977 FLECTIN 3.
 FT REPEAT 2981 3015 FLECTIN 4.
 FT REPEAT 3116 3153 FLECTIN 5.
 FT REPEAT 3154 3191 FLECTIN 6.
 FT REPEAT 3192 3229 FLECTIN 7.
 FT REPEAT 3230 3267 FLECTIN 8.
 FT REPEAT 3268 3305 FLECTIN 9.
 FT REPEAT 3306 3343 FLECTIN 10.
 FT REPEAT 3485 3522 FLECTIN 11.
 FT REPEAT 3523 3560 FLECTIN 12.
 FT REPEAT 3561 3598 FLECTIN 13.
 FT REPEAT 3599 3636 FLECTIN 14.
 FT REPEAT 3640 3674 FLECTIN 15.
 FT REPEAT 3820 3857 FLECTIN 16.
 FT REPEAT 3858 3895 FLECTIN 17.
 FT REPEAT 3896 3933 FLECTIN 18.
 FT REPEAT 3934 3971 FLECTIN 19.
 FT REPEAT 3975 4008 FLECTIN 20.
 FT REPEAT 4063 4100 FLECTIN 21.
 FT REPEAT 4101 4138 FLECTIN 22.
 FT REPEAT 4139 4176 FLECTIN 23.
 FT REPEAT 4177 4214 FLECTIN 24.
 FT REPEAT 4218 4252 FLECTIN 25.
 FT REPEAT 4265 4305 FLECTIN 26.
 FT REPEAT 4319 4356 FLECTIN 27.
 FT REPEAT 4408 4445 FLECTIN 28.
 FT REPEAT 4446 4483 FLECTIN 29.
 FT REPEAT 4484 4521 FLECTIN 30.
 FT REPEAT 4522 4559 FLECTIN 31.
 FT REPEAT 4560 4597 FLECTIN 32.
 FT REPEAT 4600 4637 FLECTIN 33.
 FT BINDING TO INTERMEDIATE FILAMENTS (HY
 SIMILARITY).
 FT 4 X 4 AA TANDEM REPEATS OF G-S-P-X.
 FT PHOSPHORYLATION (BY CDC2) (BY
 SIMILARITY).
 FT MVACMLMPDGLRAIYEVLPREVVMVAKKDRPRSLHPHP
 CVTNLQVMRAMASIRAKGLVREIFAWCHFFWYLNKGAHL
 KOYLHLPPELVAASIQVRKRPVAMVPAHRTPHVAVOQPL
 GSPKRPGLPTEQPLYPKLEEEVSPVPVPAITQRTLA
 RPPGPAPAT -> MSGFDAEFAVSEVSN;SSGSPSPGD
 1 174

FT VARSPLIC 409 412
 FT VARSPLIC 429 429
 FT VARSPLIC 1003 1005
 FT CONFLICT 185 185
 FT CONFLICT 259 259
 FT CONFLICT 550 550
 FT CONFLICT 560 560
 FT CONFLICT 706 706
 FT CONFLICT 886 886
 FT CONFLICT 1002 1002
 FT CONFLICT 1309 1309
 FT CONFLICT 1321 1321
 FT CONFLICT 1334 1334
 FT CONFLICT 1534 1534
 FT CONFLICT 1662 1662
 FT CONFLICT 1688 1688
 FT CONFLICT 1767 1767
 FT CONFLICT 1789 1789
 FT CONFLICT 1910 1910
 FT CONFLICT 2154 2154
 FT CONFLICT 2160 2160
 FT CONFLICT 2215 2215
 FT CONFLICT 2244 2244
 FT CONFLICT 3027 3027
 FT CONFLICT 3310 3310
 FT CONFLICT 3361 3361
 FT CONFLICT 3408 3408
 FT CONFLICT 3447 3447
 FT CONFLICT 3531 3531
 FT CONFLICT 3580 3580
 FT CONFLICT 3589 3589
 FT CONFLICT 3596 3596
 FT CONFLICT 3616 3616
 FT CONFLICT 3686 3686
 Query Match 63.6% Score 35; DH 1; Length 4684;
 Best local Similarity 63.6% Prod. No. 3,80,02;
 Matches 7; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 ELMRLQDYEE 11
 DB 413 ELQHPQDYEE 423
 RESULT 14
 ID PDB1_RAT STANDARD; PRT; 4687 AA.
 AC P30427; 008879; 008880; 008881;
 DT 01-APR-1993 (Rel. 25, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 16-OCT-2001 (Rel. 40, Last annotation update)
 DE Plectin 1 (PLIN) (PCN).
 GN PLEC1.
 OS Rattus norvegicus (Rat).
 OC Eukaryota, Metazoa, Chordata, Cladista, Vertebrata, Mammalia, Eutheria, Rodentia, Sciurognathi, Muridae, Murinae, Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A. (ISOFORM 1).
 RC MEDLINE-Glial tumor;
 RA Wiche G., Becker E., Huber E., Weitzer G., Gastanon M.J.,
 RA Hauptmann R., Stratos C., Stewart M.;
 RT "Cloning and sequencing of rat plectin indicates a 466-kD polypeptide
 RT coiled coil.";
 RL J. Cell Biol. 114:83-99(1991).
 RN [2]
 PP REVISIONS.

TISSUE: Glial tumor;
 MEDLINE: 96210642; PubMed: 8643055;
 Liu C.-G., Maetcker C., Castanon M.J., Hauptmann R., Wiehe G.;
 "Human plectin: organization of the gene, sequence analysis, and
 chromosome localization (4q24).";
 Proc. Natl. Acad. Sci. U.S.A. 93:4278-4283(1996).
 [4]
 PARTIAL SEQUENCE FROM N A (ISOFORMS 2; 3; 4), AND TISSUE SPECIFICITY
 TISSUE: Glial tumor;
 MEDLINE: 97421050; PubMed: 9177781;
 Elliott C.E., Becker B., Ochler S., Castanon M.J., Hauptmann R.,
 Wiehe G.;
 "Plectin transcript diversity: identification and tissue distribution
 of variants with distinct first coding exons and rodless isoforms.";
 Genomics 42:115-125(1997).
 -1- FUNCTION: LINKS, INTERMEDIATE FILAMENTS WITH MICROTUBULES AND
 HEMIDESMOSES. MAY BE INVOLVED NOT ONLY IN THE CROSSLINKING AND
 STABILIZATION OF CYTOSKELETAL INTERMEDIATE FILAMENTS NETWORK, BUT
 ALSO IN THE REGULATION OF THEIR DYNAMICS.
 -1- SUBUNIT: HOMODIMER OR HOMOTETRAMER.
 -1- ALTERNATIVE PRODUCTS: 4 ISOFORMS: 1 (SHOWN HERE), 2, 3 AND 4; ARE
 PRODUCED BY ALTERNATIVE SPLICING.
 -1- TISSUE SPECIFICITY: WIDELY EXPRESSED WITH HIGHEST EXPRESSION IN
 SKELETAL MUSCLE AND LOWEST IN THYMUS.
 -1- DOMAIN: THE N-TERMINUS INTERACTS WITH ACTIN, THE C-TERMINUS WITH
 VIMENTIN, DESMIN, GFAP, CYTOKERATINS, LAMIN B; WHEREAS BOTH THE N-
 AND THE C-TERMINUS CAN BIND INTEGRIN BETA-4.
 -1- PTM: PHOSPHORYLATED BY CK2; REGULATES DISSOCIATION FROM
 INTERMEDIATE FILAMENTS DURING MITOSIS (BY SIMILARITY).
 -1- SIMILARITY: CONTAINS 1 ACTIN-BINDING DOMAIN.
 -1- SIMILARITY: CONTAINS 2 CALPOTIN-HOMOLOGY (CH) DOMAINS.
 -1- SIMILARITY: CONTAINS 3 PLECTIN REPEATS.
 -1- SIMILARITY: CONTAINS 4 SPECTRIN REPEATS.
 -1- SIMILARITY: BELONGS TO THE PLAKIN OR CYTOLINKER FAMILY.
 -1- CAUTION: ISOFORM 4 IS A FRAGMENT AT THE N-TERMINUS.

 This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (see <http://www.isb-sib.ch/actinome7>
 or send an email to license@isb-sib.ch).

 EMBL: X59601; CAA42169.1; ?
 EMBL: U96274; AAC53209.1; ?
 EMBL: U96275; AAC53210.1; ?
 EMBL: U96276; AAC53211.1; ?
 PIR: A39648; A39648.
 PIR: S21876; S21876.
 RSD: G01082; IHRK.
 InterPro: IPR001589; Actbind actin.
 InterPro: IPR001715; Calponin-like.
 InterPro: IPR001101; plectin_repeat.
 InterPro: IPR005326; S10 plectin.
 InterPro: IPR002017; Spectrin.
 Pfam: PF00407; CH; 2.
 Pfam: PF00681; Plectin; 21.
 Pfam: PF04501; S10 plectin; 1.
 SMART: SM00043; CH; 2.
 SMART: SM00250; PLEC; 3.
 SMART: SM00150; SPECT; 4.
 PROSITE: PS00019; ACTININ_1; FALSE_NEG.
 PROSITE: PS00020; ACTININ_2; FALSE_NEG.
 PROSITE: PS00021; CH; 2.
 Coiled coil; Repeat; Structural protein; Cytoskeleton; Actin-binding;
 Phosphorylation; Alternative splicing.
 F1 DOMAIN 1 1473 GLOBULAR 1.
 F1 DOMAIN 1474 2758 CENTRAL FIBROUS ROD DOMAIN.
 F1 DOMAIN 2759 4687 GLOBULAR 2.
 F1 DOMAIN 181 406 ACTIN-BINDING.
 F1 DOMAIN 185 288 CH 1.

FT	DOMAIN	301	403	CH 2.
FT	REPEAT	648	722	SPECTRIN 1.
FT	REPEAT	743	827	SPECTRIN 2.
FT	REPEAT	840	933	SPECTRIN 3.
FT	REPEAT	1318	1418	SPECTRIN 4.
FT	DOMAIN	1472	1692	COILED COIL (POTENTIAL).
FT	DOMAIN	1724	2760	COILED COIL (POTENTIAL).
FT	REPEAT	2791	2828	PLECTIN 1.
FT	REPEAT	2829	2866	PLECTIN 2.
FT	REPEAT	2867	2904	PLECTIN 3.
FT	REPEAT	2905	2942	PLECTIN 4.
FT	REPEAT	2943	2980	PLECTIN 5.
FT	REPEAT	2984	3018	PLECTIN 6.
FT	REPEAT	3119	3156	PLECTIN 7.
FT	REPEAT	3157	3194	PLECTIN 8.
FT	REPEAT	3195	3232	PLECTIN 9.
FT	REPEAT	3233	3270	PLECTIN 10.
FT	REPEAT	3271	3308	PLECTIN 11.
FT	REPEAT	3311	3346	PLECTIN 12.
FT	REPEAT	3488	3525	PLECTIN 13.
FT	REPEAT	3526	3563	PLECTIN 14.
FT	REPEAT	3564	3601	PLECTIN 15.
FT	REPEAT	3602	3639	PLECTIN 16.
FT	REPEAT	3643	3677	PLECTIN 17.
FT	REPEAT	3823	3860	PLECTIN 18.
FT	REPEAT	3861	3898	PLECTIN 19.
FT	REPEAT	3899	3936	PLECTIN 20.
FT	REPEAT	3937	3974	PLECTIN 21.
FT	REPEAT	3978	4011	PLECTIN 22.
FT	REPEAT	4066	4103	PLECTIN 23.
FT	REPEAT	4104	4141	PLECTIN 24.
FT	REPEAT	4142	4179	PLECTIN 25.
FT	REPEAT	4180	4217	PLECTIN 26.
FT	REPEAT	4221	4255	PLECTIN 27.
FT	REPEAT	4268	4308	PLECTIN 28.
FT	REPEAT	4411	4448	PLECTIN 29.
FT	REPEAT	4449	4486	PLECTIN 30.
FT	REPEAT	4487	4524	PLECTIN 31.
FT	REPEAT	4525	4562	PLECTIN 32.
FT	REPEAT	4563	4600	PLECTIN 33.
FT	DOMAIN	4253	4303	4 X 4 AA TANDEM REPEATS OF G-S-R-X.
FT	DOMAIN	4628	4643	4 X 4 AA TANDEM REPEATS OF G-S-R-X.
FT	M-RES	4542	4542	PHOSPHORYLATION (BY CDC2) (BY SIMILARITY).
FT	VARSPLIC	1	180	MYOIMPLDQRLAIYEVLPFGVAVAKKRRPRSLHPHP
FT				GVNIOVMKAMTSLKARGIVRETFAMCHFYWYLLNEGIDHL
FT				ROYLHPPFIVIASIQVRVRVAVMVPARRRSPHVQMOGP
FT				LGCPKRGPLPAEDPAPEEPQVYRKREREGAPETPVVSAT
FT				IVGTILARGCPPTPAT -> MSQGLRVPEPEGLSKRTSS
FT				EDNLYLAVLRASEGKK (IN ISOFORM 2).
FT	VARSPLIC	1	180	MYOIMPLDQRLAIYEVLPFGVAVAKKRRPRSLHPHP
FT				GVNIOVMKAMTSLKARGIVRETFAMCHFYWYLLNEGIDHL
FT				ROYLHPPFIVIASIQVRVRVAVMVPARRRSPHVQMOGP
FT				LGCPKRGPLPAEDPAPEEPQVYRKREREGAPETPVVSAT
FT				IVGTILARGCPPTPAT -> MEPSGLFPLSVVGVHVSLSA
FT				AVWHMRKGHROADEU (IN ISOFORM 3).
FT	VARSPLIC	1	180	MYOIMPLDQRLAIYEVLPFGVAVAKKRRPRSLHPHP
FT				GVNIOVMKAMTSLKARGIVRETFAMCHFYWYLLNEGIDHL
FT				ROYLHPPFIVIASIQVRVRVAVMVPARRRSPHVQMOGP
FT				LGCPKRGPLPAEDPAPEEPQVYRKREREGAPETPVVSAT
FT				IVGTILARGCPPTPAT -> IVSNSSSGSPSGDTLPWNLG
FT				KTORSRSGGSGVNGSVLDPAERAVIRIA (IN ISOFORM 4).
SO	SEQUENCE	4687 AA;	533527 MW;	9966CAF71H929751 CR664;

Query Match Score 35; DB 1; Length 4687;

Best Local Similarity 63.6%; Pred. No. 3, Re-02;

Matches 7; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ELMRLQDVEE 11

Db 419 ELQLRWQVEE 429

```

RESULT 15
KC2A_MAIZE STANPAEC. PRT; 332 AA.
ID KC2A_MAIZE
AC P28523;
DT 01-DEC-1992 (Rel. 24, Created)
DT 01-DEC-1992 (Rel. 24, Last sequence update)
DT 15-JUN-2002 (Rel. 41, Last annotation update)
DE Casein kinase II, alpha chain (CK II) (EC 2.7.1.37) (CK2-alpha).
OS AKK2.
OS Zea mays (Maize).
OC Eukaryota, Viridiplantae, Streptophyta, Embryophyta, Tracheophyta,
OC Spermatophyta, Magnoliophyta, Liliopsida, Poales, Poaceae, PACC clade;
OC Panicoideae; Andropogoneae; Zea.
OX NCHI_taxid:4577;
RN [1]
RN SEQUENCE FROM N.A.
RC STRAIN=cv. B73 Inbred;
RC MEDLINE=94096457; PubMed=1756176;
RA Dobrowolska G., Poldyrski B., Issinger O.-G.;
RT Cloning and sequencing of the casein kinase 2 alpha subunit from Zea
RT mays.;
RL Biochim. Biophys. Acta 1129:139-140(1991).
RN [2]
RN X-RAY CRYSTALLOGRAPHY (2 1 ANISTOPOMS)
RP MEDLINE=98232491; PubMed=9564028;
RA Niefind K., Guerra H., Pinna L.A., Issinger O.-G., Schomburg D.;
RT Crystal structure of the catalytic subunit of protein kinase CK2
RT from Zea mays at 2.1-A resolution.;
RL EMBO J. 17:2451-2462(1998).
CC -!- FUNCTION: CASEIN KINASES ARE OPERATIONALLY DEFINED BY THEIR
CC PREFERENTIAL UTILIZATION OF ACIDIC PROTEINS SUCH AS CASEINS
CC AS SUBSTRATES. THE ALPHA CHAIN CONTAINS THE CATALYTIC SITE.
CC -!- CATALYTIC ACTIVITY: ATP + a protein = ADP + a phosphoprotein.
CC -!- SUBUNIT: Tetramer of two alpha and two beta chains (POSSIBLE).
CC -!- SIMILARITY: BELONGS TO THE SER/THR FAMILY OF PROTEIN KINASES.
CC CK2 SUBFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announcement/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMIL: X61387; CAA43659.1; -
CC PIR: S16387; S16387.
CC PIR: S19726; S19726.
CC PDB: 1LE4; 29-MAY-02.
CC MaizeOH: 30042; -
CC InterPro: IPR000719; Euk_pkinase.
CC InterPro: IPR002290; Ser_thr_pkinase.
CC Pfam: PF00069; pkinase; 1.
CC ProDom: PD000601; Euk_pkinase; 1.
CC SMART: SM00220; S_TKC_1.
CC PROSITE: PS00107; PROTEIN_KINASE_ATP; 1.
CC PROSITE: PS00108; PROTEIN_KINASE_ST; 1.
CC PROSITE: PS00011; PROTEIN_KINASE_DOM; 1.
CC Transfaser: Serine/threonine-protein kinase; ATP-binding;
CC 3D-structure.
CC
CC DOMAIN 34 319 PROTEIN KINASE.
CC NP_BIND 40 48 ATP.
CC BINDING 63 63 ATP.
CC ACT_SITE 151 151
CC
CC SQA SEQUENCE 332 AA; 39230 MW; 85513A5A5C77235A CRC64;
Query Match 61.8%; Score 34; DB 1; Length 332;
Best Local Similarity 60.08; Prod No 31;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;
QY 1 ELMRLQDYE 10
|||: ||||:

```

